

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---------------------------------|------------------|---------|---------------------|
| L5 | 27 | L4 and vehicle | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/30 11:18 |
| L4 | 83 | rutland-wallis.xa. | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/30 11:18 |
| L3 | 386 | voltage with (regualt\$4 control \$4 converter) same (transistor switch FET BJT) and ignition and (deployment deploy \$3) | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/30 11:18 |
| L2 | 562 | (307/10.6).CCLS. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2010/06/30 11:18 |
| L1 | 3002 | 307/10.1.ccls. | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/30 11:18 |
| S37 | 18 | ("5085464" "5324074" "5544914" "5794972" "5803491" "5879024" "5918899" "5992880").PN. OR ("6189923").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/06/29 19:39 |
| S36 | 14 | ("3736837" "4015928" "4700263" "4839772" "4870902" "5053913" "5347422" "5411289" "5460407").PN. OR ("5898122").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/06/29 19:38 |

| | | | | | | |
|-----|--------|--|---------------------------------|----|-----|---------------------|
| S35 | 2 | ((("6731023") or ("6189923")).PN. | US-PGPUB; USPAT; EPO; JPO | OR | OFF | 2010/06/29 19:37 |
| S34 | 11 | ("5432385").URPN. | USPAT | OR | OFF | 2010/06/29 14:45 |
| S33 | 17 | S26 and S32 | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 14:22 |
| S32 | 3319 | (regulator converter) same voltage same current adj source same capacitor | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 14:22 |
| S31 | 217 | S26 and S30 | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 14:21 |
| S30 | 26869 | (regulator converter) same voltage same current same capacitor | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 14:20 |
| S29 | 820 | S28 and capacitor | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 09:15 |
| S28 | 1599 | S26 and S27 | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 09:14 |
| S27 | 211818 | (regulator converter) same voltage | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 09:14 |
| S26 | 74403 | (airbag restraint saftey) | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 09:13 |
| S25 | 386 | voltage with (regualt\$4 control \$4 converter) same (transistor switch FET BJT) and ignition and (deployment deploy \$3) | US-PGPUB; USPAT; EPO | OR | OFF | 2010/06/29 09:13 |
| S24 | 0 | S23 and S21 | US-PGPUB; USPAT; EPO | OR | OFF | 2010/01/19 12:56 |
| S23 | 6 | variable adj speed adj genset | US-PGPUB; USPAT; EPO | OR | OFF | 2010/01/19 12:55 |

6/30/2010 11:18:42 AM

**C:\Documents and Settings\mrutlandwallis\My Documents\EAST\Workspaces
\10590876 Airbag depoly with voltage reg.wsp**